AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT			I.WNIKACI IDUJ	LE .	PACE OF PACES
2. AMENDMENT/ACCIPICATION NO. P00072	3 FROME DATE 102	4.REQUISITION PURCHASER N/A	•	5.PRO ECTNO	1 <u>2</u> (If applicable)
6. ISSUEDBY CODE	SP0200	7. ADMINISTEREDBY (If other	rthanitem 6)	Œ	SP0200
DEFENSE SUPPLY CENTER PHILADI 700 ROBBINS AVE. PHILADELPHIA, PA 19111 DSCP-MSAA G. VIOLA, 215-737-9052	ELPHIA	SAME AS BLOCK	6		
8 NAMEANDACTRESS OF CONTRACTOR (No., street, controver). OWENS & MINOR CORPORATE OFFICES 4800 COX ROAD	ty, Stateand ZIP Gode			NT OF SOLICITATIO	NO.
GLEN ALLEN, VA 23060-6929			9B DATED(S	ΞΠΒ Μ11)	
			10A MODIFICA	ATIONO CONTRAC SP0200-00	
			10B, DATED(SEE ITEM 13)	
CODE 9C381	FACILITY CODE			JULY 19	,2000
	1. THS ITEMONLY APPLIES T	COAMENDMENTS OF SOLI	CITATIONS	117 MARINEW TO THE REAL PROPERTY AND THE PARTY AND THE PAR	
The above numbered solicitation is amended asset forth in item	n 14. The hour and date specified for receip	t of Offers		is extended,	is not extended.
Offer must acknowledge receipt of this amendment prior to the hour an	d date specified in the solicitation or as arre	ended, by one of the following methods	:		
(a) By completing terms 8 and 15, and returning submitted; or (c) By separate letter or telegram which includes a reference TOTHE HOLR ANDDATE SPECIFIEDMAY RESULT NIRE) ECHO telegramor letter makes reference to the solicitation and this amendment 12. Accounting and Appropriation Data (If required) MEDICAL SURGICAL PRIME VENDO	enceto the solicitation and amendment nur NO YOUR OFFER. If by virtue of this amen art, and is received prior to the opening hour.	dmant youdesire to charge an offer a and date specified.	DOMENT TOBE RECEIVE	DAT THE PLACE DESIGN	
	HS ITEMAPPLIES ONLY TON	***************************************	RACTS/ORDERS.		
	MODIFIES THE CONTRACT/O		•		
A THIS CHANCE ORDER IS ISSUEDPURSUANITTO. (Specify at					
B. THE ABOVE NUMBERED CONTRACT/CRIZER IS MODIFIED TO appropriation date; etc). SET FORTHIN ITEM 14, PURS UNIT	TOTHE AUTHORITY OF FAR 43,103(b).				
C THIS SUPPLEMENTAL ACREEMENT IS ENTEREDINTOPURSE	JANITOAUTHORITYOF: AGREEI	MENT OF THE PAR	TIES		
D. OTHER (Specifytypeof malfication and authority)					
E. IMPORTANT: Contractor is not,	is required to sign this document a			the issuing office.	
14. DSCRIPTIONOF AMENDMENT/MODIFICATION/Ogarize	dby CCF section readings, including so	diotationootrad sugect matte	rwhere feesible)		
SEE ATTACHED					
Except as provided herein, all terms and conditions of the document	ert referencedin Item 9 A or 10 A, as	heretof are changed, remains und	chengedardinfullfoc	eardeffect.	
15A NAVEANDTITLE OF SICHER (Type or pirt) JAMES P. DILLON		16A NAME AND TITLE OF COUNTRACTING OF	ΟY	ER (Typeorprint)	
DIRECTOR GOV'S PENTIONS	15C DATESICAED	16B I MIEDSTATISCE AL			:16C DATESIONED

(Signature of person authorized to sign)

NSX 7540-01-152-9070 PREVIOUS ECITIONUNUS ABLE

PerFORM(DLA)

(Signatured Lotracting Officer)

STANDARDFORM 30 (REV. 1083) Prescribed by CSA FAR (48 CFR) 53.243

- 1. Referencing Modification P00051 effective February 27, 2002. On Page 3, Paragraph 2, **DELETE** Paragraph K. 2 in its entirety, and replace with:
- 2. For each delivery order, the Service Program shall first seek to obtain its WRM requirements from its primary PV in accordance with the SOW. Under certain conditions, the Service Program may place a WRM order with its secondary PV. These include when the primary PV is unable to supply any or all of the WRM items because:
 - a. the WRM item, and/or its acceptable functional equivalent, is being ordered within the eight week grace period (as defined in the WRM Support Provisions modification P00038, effective September 21, 2001,) and the primary PV kills the order, and/or;
 - b. that delivery order(s) was issued within the thirty days (fourteen days for AEF requirements) allowed to replenish (or refresh) supplies from an earlier delivery order, and no acceptable functional equivalent is available, and/or;
 - c. the WRM item(s) is confirmed as "NOT stocked" from the primary PV, and the selecting Service rejected the proposed functional equivalent (items under this condition are not listed on the current WRM Requirements' Diskette at the time the order is placed.)

If any of the above conditions exists, then the Service Program may place the WRM order with its secondary PV for the exact item(s), or the acceptable functional equivalent item(s). The order shall be placed in accordance with the terms of the SOW, especially Sections XIX and XX, for those item(s) the primary PV is unable to supply.